



"ഭരണഭാഷ മാതൃഭാഷ"

പി.ടി.എം.ഗവ.കോളേജ്, പെരിന്തൽമണ്ണ

പാതയ്ക്കര പോസ്റ്റ്, മലപ്പുറം ജില്ല, കേരളം - 679322

ഫോൺ - 04933 - 227370 email - ptmgcpmna@gmail.com

എ2/670/2023-24/പ്ലാൻ

തീയതി: 30/09/2023

ദർഘാസ് പരസ്യം നമ്പർ 01/2023-24/പ്ലാൻ

2023 - 24 സാമ്പത്തിക വർഷത്തെ പദ്ധതി വിഹിതത്തിൽ "ഫിസിക്കൽ, ഹ്യൂമൻ ആൻഡ് ഐ.ടി ഇൻഫ്രാസ്ട്രക്ചർ അപ് ഗ്രേഡേഷൻ, ഡെവലപ് മെന്റ് ആൻഡ് മൈന്റനൻസ് 2202-03-103-47 (പി.വി)" എന്ന ഇനത്തിൽ അനുവദിച്ച തുകയിൽ നിന്നും ₹ 2,86,000/- (രണ്ട് ലക്ഷത്തി എൺപത്തി ആറായിരം രൂപ മാത്രം) രൂപക്ക് ഇതോടൊപ്പം ഉൾക്കൊള്ളിച്ചിട്ടുള്ള പട്ടികയിൽ കാണിച്ചിട്ടുള്ള ഫിസിക്സ് ലാബ് ഉപകരണങ്ങൾ വിതരണം ചെയ്യാൻ തയ്യാറുള്ളവരിൽ നിന്നും മുദ്രണം ചെയ്ത ദർഘാസുകൾ ക്ഷണിക്കുന്നു. ദർഘാസ് അടക്കം ചെയ്ത കവറിനു പുറത്ത് **"ദർഘാസ് നമ്പർ 01/2023-24/പ്ലാൻ - 2023-24 സാമ്പത്തിക വർഷത്തെ പദ്ധതി വിഹിതത്തിൽ ഫിസിക്സ് ലാബ് ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിനുള്ള ദർഘാസ്"** എന്നെഴുതി പ്രിൻസിപ്പാൾ, പി.ടി.എം.ഗവ.കോളേജ് പെരിന്തൽമണ്ണ, പാതയ്ക്കര പോസ്റ്റ്, പെരിന്തൽമണ്ണ, മലപ്പുറം ജില്ല, കേരളം - 679322 എന്ന വിലാസത്തിൽ സമർപ്പിക്കേണ്ടതാണ്. വൈകി ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല.

1	ദർഘാസ് ഫോറത്തിന്റെ വിലയുടെ അവസാന തീയതി	16/11/2023 ഉച്ചക്ക് 02.00 മണി വരെ
2	ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി	16/11/2023 ഉച്ചക്ക് 03.00 മണി വരെ
3	ദർഘാസുകൾ ഇറക്കുന്ന തീയതി	17/11/2023 രാവിലെ 11.30 മണിക്ക്
4	നിരത ദ്രവ്യം.	₹ 2,860/-

ദർഘാസ് നടപടികളിൽ പങ്കെടുക്കാൻ ആഗ്രഹിക്കുന്നവർ മേൽവണ്ഡികയിൽ കാണിച്ചിട്ടുള്ള പ്രിൻസിപ്പാളിന്റെ വിലാസത്തിൽ അപേക്ഷിച്ചാൽ ദർഘാസ് ഫോറം ലഭിക്കുന്നതാണ്. അപേക്ഷയുടെ കൂടെ ദർഘാസ് ഫോറത്തിന്റെ വിലയായ ₹ 1,000/- (ആയിരം രൂപ മാത്രം) (ഫോറത്തിന് ₹ 1,000/- + GST 18%) രൂപ അടക്കേണ്ടതാണ്. ഫോറത്തിന്റെ 18% GST ആയ ₹ 180/- രൂപ ജി.എസ്.ടി നിയമപ്രകാരമുള്ള റിവേഴ്സ് ചാർജ്ജ് സംവിധാനത്തിൽ മുൻകൂർ അടവാക്കിയ രസീതി ദർഘാസ് ഫോറത്തിനുള്ള അപേക്ഷയോടൊപ്പം സ്ഥാപനങ്ങൾ സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില യാതൊരു കാരണവശാലും മടക്കിത്തരുന്നതല്ല. ദർഘാസ് ഫോറം കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ദർഘാസ് ഫോറത്തിന്റെ വിലയായി ചെക്ക്, പോസ്റ്റൽ ഓർഡർ, ഡ്രാഫ്റ്റ് മുതലായവ സ്വീകരിക്കുന്നതോ വി.പി.പി ആയി അയച്ചു കൊടുക്കുന്നതോ അല്ല. ദർഘാസ് ഫോറം തപാൽ മാർഗ്ഗം ലഭിക്കുന്നതിന് ദർഘാസ് ഫോറത്തിന്റെ വിലയും രജിസ്റ്റേർഡ് തപാൽ ചാർജ്ജും ഉൾപ്പെടെ ₹ 1,032/- (ആയിരത്തി മുപ്പത്തി രണ്ട് രൂപ മാത്രം) രൂപ പ്രിൻസിപ്പാളിന്റെ മുകളിൽ കാണിച്ച വിലാസത്തിൽ മണിയോർഡറായി അയച്ചു തരേണ്ടതാണ്.

പൂരിപ്പിച്ചതും ഒപ്പിട്ടതുമായ ദർഘാസുകളുടെ കൂടെ നിരത ദ്രവ്യമായി ₹ 2,860/- (രണ്ടായിരത്തി എണ്ണൂറ്റി അറുപത് രൂപ മാത്രം) രൂപയുടെ പ്രിൻസിപ്പാളിന്റെ പേരിലുള്ള ഡിമാൻഡ് ഡ്രാഫ്റ്റ് ഉൾക്കൊള്ളിക്കേണ്ടതാണ്. നിരത ദ്രവ്യത്തിന് പലിശ ലഭിക്കുന്നതല്ല. നിരതദ്രവ്യം അടവാക്കുന്നതിൽ നിന്നും ഒഴിവാക്കപ്പെട്ടിട്ടുള്ള കമ്പനികൾ ഒഴിവാക്കിയ ഉത്തരവിൻറെ ശരി പകർപ്പ് ദർഘാസിന്റെ കൂടെ അടക്കം ചെയ്യേണ്ടതാണ്. വിതരണം ചെയ്യാൻ ഉദ്ദേശിക്കുന്ന ഓരോ ഐറ്റത്തിന്റെയും വില, നികുതി എന്നിവ പ്രത്യേകം കാണിക്കേണ്ടതാണ്. വിതരണ ഉത്തരവ് തീയതി മുതൽ ഒരു മാസത്തിനുള്ളിൽ സ്വന്തം ചെലവിൽ ഉപകരണങ്ങൾ വിതരണം ചെയ്യേണ്ടതാണ്. വില നിലവാരത്തിന് 31/03/2024 വരെ പ്രാബല്യം ഉണ്ടായിരിക്കുന്നതാണ്. ദർഘാസിന്റെ കൂടെ 200/- (ഇരുനൂറു രൂപ മാത്രം) രൂപ വിലയുള്ള കേരള മുദ്ര പത്രത്തിൽ നിശ്ചിത മാതൃകയിലുള്ള കരാർ എഴുതി സമർപ്പിക്കേണ്ടതാണ്.

യാതൊരു മുന്നറിയിപ്പും കൂടാതെ ദർഘാസ് നടപടികൾ നിർത്തിവെക്കുന്നതിനോ റദ്ദാക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമാണ്. ഓഫീസിലെ പണമിടപാട് സമയം പ്രവൃത്തിദിനങ്ങളിൽ രാവിലെ 10.00 മണിമുതൽ ഉച്ചക്ക് ശേഷം 2.00 മണിവരെയായിരിക്കും. കൂടുതൽ വിവരങ്ങൾ ഓഫീസ് പ്രവൃത്തി സമയങ്ങളിൽ നേരിട്ടുമ്പോഴെങ്കിലും അറിയാവുന്നതാണ്.

ഡോ.ഹംസ.കെ

പ്രിൻസിപ്പാൾ

പകർപ്പ്

1. നോട്ടീസ് ബോർഡ്
2. വിവിധ വിതരണ കമ്പനികൾക്ക്
3. പ്രിൻറിംഗ് ഡയറക്ടർ , തിരുവനന്തപുരം (ആമുഖ കത്ത് സഹിതം)
4. സെക്രട്ടറി, ഐ & പി.ആർ.ഡി , ഗവ.സെക്രട്ടേറിയറ്റ്, തിരുവനന്തപുരം (ആമുഖ കത്ത് സഹിതം)
5. പ്രിൻസിപ്പാൾ
6. സീനിയർ സൂപ്രണ്ട്
7. ഹെഡ് അക്കൗണ്ടന്റ്
8. കരുതൽ ഫയൽ
9. കോളേജ് വെബ് സൈറ്റിൽ പ്രസിദ്ധീകരിക്കുന്നതിന്.

Approval Valid

Digitally Approved By

Dr. Hamza.K

Date: 30.09.2023

Reason: Approved

Tender No: 01/2023-24/Plan

Sl No.	Item	Specification
1	Function Generator 30 MHz	sine wave, square wave, triangulat wave, TTL, 100mV to 2V amplitude, 20 dB and 40dB attenuation
2	Digital Storage Oscilloscope	50 MHz Bandwidth, 2 channels, 1GS/s sample rate, 20K points Record length, 8bits vertical resolution, input sensitivity 1 mV/div to 10 V/div max., AC and DC input coupling, 1MOhm input impedance, peak detect, +/- 10 ⁻⁶ timebase accuracy, external trigger input, automated measurements (Period, Frequency, Rise Time, Fall Time, Positive Duty Cycle, Negative Duty Cycle, Positive Pulse Width, Negative Pulse Width, Burst Width, Phase, Positive Overshoot, Negative Overshoot, Peak to Peak, Amplitude, High, Low, Max, Min, Mean, Cycle Mean, RMS, Cycle RMS, Positive Pulse Count, Negative Pulse Count, Rising Edge Count, Falling Edge Count, Area, Cycle Area, Delay FR, Delay FF, Delay FR, and Delay RR)
3	ExpEyes-17	A tool for learning science by exploring and experimenting.
4	Digital Gauss meter with Probe	good quality to read upto 4000 Gauss
5	crystal oscillator and tank for ultrasonic interferrometer	good quality
6	Hot air oven: .	Hot Air Ovens with sturdy double walled units Inner chamber & trays made of S.S. and outer made of Mild Steel with Powder coating. Chamber size (L x B x H): 300x300x300mm ,No. of Trays: 2 , Watts : 1000 w , Approx. Ltr : 28 , Temp. range 50oC to 200oC and Accuracy: +-1oC , With Micro processor based Digital Temperature Controller and digital timer.
7	Desiccator with vaccum pump	for sample keeping

8	Ultrasonic cleaner	ULTRASONIC CLEANER- Model: BR6.8L, BR Biochem make with Two year warranty Capacity (L): 6.8L Frequency: 40KHz Power: 180W Tank Dimension (L*W*H): 300*150*150mm Heating Power: 200W Timing: 1-30 Minutes timing
9	Precision Spectrometer	Good quality PRECISION SPECTROMETER with Two year warranty. Stainless Steel Slit with 6" circle, 1 min reading. Heavy metallic casting provides a sturdy base fitted with Leveling Screws and carries the fixed collimator arm and a swinging Telescope arm. 1" clear aperture with 10x RAMSDEN Eyepiece fitted with cross line glass graticule to produce sharp spectral images.
10	e/m Thomson's Apparatus	e/m Thomson's apparatus: Complete set with at least two year warranty. Experiment setup consists: Power supply, CRT tube, Stand, Compass, Magnet. .
11	Photo-Diode Characteristics	PHOTO-DIODE CHARACTERISTICS: Determination of Responsivity, Quantum efficiency & I-V characteristics. Experiment setup consists Photo diode characteristics kit and Illumination Chamber.
12	Decade capacitance box	Decade capacitance box 4 Dial. Range : 0.1 to 1 farad.
13	Decade inductance box	Decade inductance box 4 Dial. Range - 1 milli Henry to 10 Henry.
14	Optical fibre cable	1m
15	Optical fibre cable	0.5m .
16	Cornus Interference Six Position Travelling Microscope	Good quality Cornus Interference Travelling Microscope without sodium vapour lamp. (Holmarc make) Traveling microscope with precision micrometer, Magnification - 10 X Micrometer travel - 25 mm Least count - 0.01 mm
17	GM counter setup	complete experimental set up with sample holder
18	storage vial 5ml	capacity 5ml
19	storage vial 10 ml	capacity 10 ml
20	micro centrifuge tube	1.5 ml

21	culture bottle	borosil glass
22	conical flask	borosil glass
23	Digital lux meter	Meter and the detector part connected by spiral cable with provision to fix the detector on metal screen

